

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	S114 and \$fix\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/22 11:19
		S114 and \$fix\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/22 11:19
		S114 \$fix\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/22 11:19
		((insert\$3 or apend\$3) same (remaind\$3 or remnant) same predicate\$1)) and quer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 17:32
		S103 and "707".CLASS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 17:30
		S103 and "707".CLASS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 17:30
		S83 and ((uniform or regular or fix\$3) with length	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 13:43
		(remnant or excess or remain\$4)) and (match\$3 with length with (quer\$3 or predicate))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 11:55
S1	1	chen-shyh.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 10:44

EAST Search History

S2	11	chen-"shyh-kwei".in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 10:53
S3	2	S2 and "virtual construct interval"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 10:44
S4	0	S2 and "virtual construct interval\$1"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 10:45
S5	3	S2 and "virtual construct interval"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 10:54
S6	41	wu-"kun-lung".in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 10:54
S7	3	S6 and "virtual construct interval"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 10:55
S8	2	mei-mark.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 10:55
S9	65	yu-philip-s.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 10:55
S10	1	S9 and "virtual construct interval"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 10:56
S11	0	virtual with construct with interval\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 10:56

EAST Search History

S12	10	virtual with construct with interval\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 11:00
S13	3	S12 and quer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 10:58
S14	0	("2005/0071321").URPN.	USPAT	OR	OFF	2006/03/20 10:58
S15	0	("2005/0071321").URPN.	USPAT	OR	OFF	2006/03/20 10:58
S16	0	("2005/0071322").URPN.	USPAT	OR	OFF	2006/03/20 10:58
S17	56	(predicate\$1 with interval\$1) and quer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 11:01
S18	54	S17 not S12	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 11:01
S19	37	S18 and insert\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 13:11
S20	58	("5664172").URPN.	USPAT	OR	OFF	2006/03/20 11:10
S21	6	S20 and predicat\$2	USPAT	OR	OFF	2006/03/20 11:10
S22	15	("5884304").URPN.	USPAT	OR	OFF	2006/03/20 11:18
S23	65	("5742806").URPN.	USPAT	OR	OFF	2006/03/20 13:03
S24	41	(fragmentation with (quer\$3 or predicate\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 13:25
S25	1	("6681218").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 13:14
S26	0	("6681218").URPN.	USPAT	OR	OFF	2006/03/20 13:13

EAST Search History

S27	1	("5128860").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 13:15
S28	1	("5319777").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 13:16
S29	1	("5822749").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 13:17
S30	1	("5829004").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 13:19
S31	1	("5875445").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 13:19
S32	0	S24 and (insert\$3 with (predicate\$1 or interval\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 13:24
S33	1	S24 and (insert\$3 same (predicate\$1 or interval\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 13:25
S34	0	("2005/0222980").URPN.	USPAT	OR	OFF	2006/03/20 13:25
S35	526	((fragmentat\$4 or decompos\$8) with (quer\$3 or predicate\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 13:42
S36	30	S35 and (insert\$3 same predicat\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 13:26

EAST Search History

S37	2354	(segment\$5 with (quer\$3 or predicate\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 13:43
S38	1303	S37 and index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 13:43
S39	690	S38 and interval\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 13:43
S40	603	S39 and length\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 13:44
S41	11	S40 and (insert\$3 with predicate\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 13:50
S42	1	"20050071322"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 13:50
S43	1	S42 and (predicate with interval) and (virtual with construct with interval)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 14:02
S44	9	"predicate interval"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 14:08
S45	237	predicate\$1 with interval\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 14:08
S46	60	S45 and (insert\$3 same (predicate\$1 or interval\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 14:09

EAST Search History

S47	52	S46 not S44	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 14:11
S48	1	S47 and (match\$3 same (lenght\$1 or size\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 14:10
S49	33	S47 and (lenght\$1 or size\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 14:11
S50	153	(insert\$3 with predicate\$1) and quer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 14:13
S51	114	S50 and index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 14:14
S52	67	S51 and (lenght or size)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 14:27
S53	0	S51 and (match\$3 near5 (lenght or size))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 14:28
S54	0	S51 and (match\$3 near6 (lenght or size))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 14:28
S55	0	S50 and (match\$3 near6 (lenght or size))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 14:28
S56	62	S50 and (match\$3 and (lenght or size))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 14:28

EAST Search History

S57	62	S50 and match\$3 and (length or size)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/20 14:29
S58	1	("6289334").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 16:20
S59	0	("insert\$3withquerywith(segmentso rinterval\$1orpredicate\$1orfragment \$1)").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 16:21
S60	281	insert same quer\$3 same (segment\$1 or fragment\$1 or predicat\$2 or interval\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 16:27
S61	119	S60 and index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 16:25
S62	6143	quer\$3 and (insert\$3 with (segment\$1 or fragment\$1 or predicat\$2 or interval\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 16:42
S63	105	(quer\$3 with insert\$3 with (segment\$1 or fragment\$1 or predicat\$2 or interval\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 16:32
S65	22	S62 and (index\$3 with quer\$3 with predicate\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 16:42
S66	1	("6289334").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/21 11:03
S67	1	S66 and (length or size)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 11:10

EAST Search History

S68	94	((length or size) same (predicate or quer\$3) same insert\$3 same (remnant or excess or remain\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 11:12
S69	0	((length or size) same (predicate or quer\$3) same insert\$3 same (remnant or excess or remain\$4)) and 707/3.CLSS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 11:12
S70	10	((length or size) same (predicate or quer\$3) same insert\$3 same (remnant or excess or remain\$4)) and 707/3.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 11:43
S71	1	("6694306").URPN.	USPAT	OR	OFF	2006/03/21 11:30
S72	8	((length or size) same (predicate or quer\$3) same insert\$3 same (remnant or excess or remain\$4)) and match\$3 and 707/3.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 11:40
S73	2	S70 and (match\$3 with (length or size))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 11:36
S74	3	((length or size) same (predicate or quer\$3) same insert\$3 same (remnant or excess or remain\$4)) and (match\$3 with length with (quer\$3 or predicate))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 11:55
S75	1451	(remnant or excess or remain\$4) and (match\$3 with length with (quer\$3 or predicate))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 11:55
S76	136	S75 and ((uniform or constant or fixed) with length)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 13:16
S77	105	(quer\$3 with insert\$3 with (segment\$1 or fragment\$5 or predicat\$2 or interval\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/21 13:30
S78	0	("7010522").URPN.	USPAT	OR	OFF	2006/03/21 13:32

EAST Search History

S79	1205	((match\$3 or compar\$3) with (length or size) with (quer\$3 or predicates)) and segment\$1 and remain\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/21 13:39
S80	812	S79 and excess and (length or size)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/21 13:40
S81	812	S79 and excess and (length or size)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 13:40
S82	0	S81 and "same length query"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 13:41
S83	682	S81 and "same length"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 13:50
S84	463	S83 and (uniform or regular or fix\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 13:42
S85	18	S83 and ((uniform or regular or fix\$3) with length)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 13:43
S86	655643	"6694306" B1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 13:51
S87	0	("6694306B1").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/21 13:51
S88	1	("6694306").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/21 13:51

EAST Search History

S89	1	("6289334").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/21 17:15
S90	0	S89 and (bitmap\$1 same locat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/21 14:32
S91	0	S89 and (bitmap\$1 same id)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/21 14:32
S92	0	S89 and (bitmap\$1 same index\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/21 14:33
S93	0	S89 and (bitmap\$1 same vector\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/21 14:33
S94	0	S89 and bitmap\$1 and vector\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/21 14:33
S95	1	S89 and bitmap\$1 and locat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/21 16:38
S96	1	("5664172").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/21 16:39
S97	0	("queryand(insert\$3withpredicate\$1)and(insert\$3withremain\$3)").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/21 17:17
S98	0	("queryand(fragmentat\$3orsegmenta t\$3)").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/21 17:19

EAST Search History

S99	460	quer\$3 and (segmentat\$3 or fragmentat\$3) and predicate\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/21 17:20
S100	0	S99 and (insert\$3 with "same" with (length or size))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 17:22
S101	111	S99 and (insert\$3 with (length or size))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 17:28
S102	101	S101 and (excess or remanin\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 17:28
S103	96	S101 and (insert\$3 same (excess or remain\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 17:30
S104	0	S103 and "707".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 17:30
S105	2	S101 and (insert\$3 with (excess or remain\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 17:30
S106	4	((insert\$3 or apend\$3) same (remaind\$3 or remnant) same predicate\$1) and quer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 17:35
S107	162	index\$3 with quer\$3 with predicate\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 17:37
S108	138	S107 and (length or size)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 17:37

EAST Search History

S10 9	28	S108 and (excess or remaind\$4 or remnant)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 17:38
S11 0	1	("20050071322").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/22 10:22
S11 1	141	"1" and (insert\$3 with initial) and remnant	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/22 10:09
S11 2	1	S110 and (insert\$3 with initial) and remnant	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/22 10:15
S11 3	1	("20050216503").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/22 10:15
S11 4	1	("7010522").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/22 11:19
S11 5	1	("6289334").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/22 11:37
S11 6	1	S114 and (different same (attribute or value))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/22 11:18
S11 7	0	S114 and suffix	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/22 11:18
S11 8	0	S114 and suffix\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/22 11:18

EAST Search History

S11 9	1	S114 and suffix\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/22 11:22
S12 0	1	(match\$3 with begin\$4 with attribute) and (different with end\$3 with attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/22 11:27
S12 1	0	S120 and quer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/22 11:27